

# Analysis and design tools for distributed motion coordination

Jorge Cortés  
School of Engineering  
University of California at Santa Cruz  
Santa Cruz, California 95064, USA  
jcortes@ucsc.edu

Sonia Martínez    Francesco Bullo  
Mechanical and Environmental Engineering  
University of California at Santa Barbara  
Santa Barbara, California 93106, USA  
{smartine, bullo}@engineering.ucsb.edu

**Abstract**— This paper surveys recently-developed theoretical tools for the analysis and design of coordination algorithms for networks of mobile autonomous agents. First, various motion coordination tasks are encoded into aggregate cost functions from Geometric Optimization. Second, the limited communication capabilities of the mobile agents are modeled via the notions of proximity graphs from Computational Geometry and of spatially distributed maps. Finally, we illustrate how to apply these tools to design and analyze scalable cooperative strategies in a variety of motion coordination problems such as deployment, rendezvous, and flocking.

## I. INTRODUCTION

Motion coordination is a remarkable phenomenon in biological systems and an extremely useful tool in man-made groups of vehicles, mobile sensors and embedded robotic systems. Just like animals do, groups of mobile autonomous agents need the ability to deploy over a given region, assume a specified pattern, rendezvous at a given point, or jointly move in a synchronized manner. These coordinations tasks are typically to be achieved with little available communication between the agents, and therefore, with limited information about the state of the entire system.

An important scientific motivation for the study of motion coordination is the analysis of emerging and self-organized behaviors in biological groups with distributed agent-to-agent interactions. At the same time, an important engineering reason to study motion coordination stems from the recent interest in sensor networks. Indeed, it is envisioned that groups of autonomous agents with computing, communication and mobility capabilities will soon become economically feasible and perform a variety of spatially-distributed sensing tasks such as search and rescue, surveillance, environmental monitoring, and exploration.

The objective of this paper is to illustrate ways in which systems theory helps us analyze emerging behaviors in animal groups and design autonomous and reliable robotic networks. Indeed, the interest of the control community for motion coordination has increased tremendously over the last few years. A necessarily incomplete list of works on distributed, or leaderless, motion coordination includes [1], [2] on pattern formation, [3] on flocking, [4] on self-assembly, [5] on swarm aggregation, [6] on gradient climbing, [7] on deployment, [8], [9], [10], [11] on rendezvous, [12] on cyclic pursuit, and [13], [14], [15] on consensus. This paper presents and surveys some recently-developed theoretical

tools for modeling, analysis and design of motion coordination. The next paragraphs summarize the various sections.

Section II reviews the computational geometric notion of *proximity graph*. Proximity graphs of various kinds model agent-to-agent interactions that depend only on the agents' location in space. This is the case for example in wireless communication or in communication based on line-of-sight. Thus, the notion of proximity graph allows us to model the information flow between mobile agents. Useful examples include the disk and the visibility graphs. A coordination algorithm is said to be *spatially distributed* over a proximity graph if the control input of each agent can be computed only with the information encoded in the given graph.

The focus of Section III is on how to encode motion coordination tasks into aggregate cost functions from Geometric Optimization. We discuss various aggregate cost functions for tasks such as deployment (area-coverage deployment, maximum detection likelihood deployment, and visibility-based deployment), rendezvous (via the diameter of convex hull function), cohesiveness, and consensus (via the so-called Laplacian potential from algebraic graph theory). We also discuss some results on their smoothness properties and extreme points via nonsmooth analysis.

Section IV builds upon these tools to present various approaches to the design and analysis of scalable motion coordination algorithms. A first approach is based on the design of gradient flows: here we are given a coordination task to be performed by the network and a proximity graph as communication constraint. A second approach is based on the analysis of emerging behaviors: in this case a notion of neighboring agents and an interaction law between them is usually given. The remaining two approaches build upon these two. We apply these ideas to numerous examples of coordination algorithms proposed in the literature.

Let us finally mention that, for reasons of space, the present exposition does not include a more in-depth discussion of various techniques that have been proved useful in analyzing motion coordination problems. Among them, we highlight ergodic [3] and circulant [12] matrices from matrix analysis, graph Laplacians and algebraic connectivity [3], [13] from algebraic graph theory, graph grammars [4], symmetries of differential equations [2], and LaSalle Invariance Principles and stability analysis for differential inclusions [16] and nondeterministic discrete-time dynamical systems [7], see also [17].

## II. SPATIALLY DISTRIBUTED MAPS OVER PROXIMITY GRAPHS

A *partition* of a set  $S$  is a collection of subsets of  $S$  with disjoint interiors and whose union is  $S$ . Let  $\mathbb{F}(S)$  be the collection of finite subsets of  $S$ . Given  $S \subset \mathbb{R}^2$  and  $\mathcal{P} \in \mathbb{F}(S)$  a set of  $n$  distinct points  $\{p_1, \dots, p_n\}$  in  $S$ , the *Voronoi partition* of  $S$  generated by  $\mathcal{P}$  with respect to the Euclidean norm  $\|\cdot\|$  is the collection of sets  $\{V_i(\mathcal{P})\}_{i \in \{1, \dots, n\}}$  defined by  $V_i(\mathcal{P}) = \{q \in S \mid \|q - p_i\| \leq \|q - p_j\|, \text{ for all } p_j \in \mathcal{P}\}$ . We usually refer to  $V_i(\mathcal{P})$  as  $V_i$ . For a detailed treatment of Voronoi partitions we refer to [18], [19]. We usually deal with  $S = \mathbb{R}^2$ .

For  $p \in \mathbb{R}^2$  and  $r \in \mathbb{R}_+ = (0, +\infty)$ , let  $B(p, r)$  and  $\overline{B}(p, r)$  denote the open and closed ball in  $\mathbb{R}^2$  centered at  $p$  of radius  $r$ , respectively. For  $\mathcal{P} \in \mathbb{F}(S)$  with  $n$  elements, consider the collection  $\{V_i(\mathcal{P}) \cap \overline{B}(p_i, r)\}_{i \in \{1, \dots, n\}}$ , which is a partition of  $\cup_i \overline{B}(p_i, r) \cap S$ . For  $i, j \in \{1, \dots, n\}$ , let

$$\Delta_{ij}(\mathcal{P}, r) \triangleq (V_i(\mathcal{P}) \cap \overline{B}(p_i, r)) \cap (V_j(\mathcal{P}) \cap \overline{B}(p_j, r)).$$

Fig. 1 shows an example of these geometric constructions.




Fig. 1. Voronoi partition of a convex polygon  $Q$  generated by 50 points selected randomly (left) and Voronoi partition of  $Q$  generated by the same configuration restricted to  $\cup_i \overline{B}(p_i, r) \cap Q$ , with  $r = .2$  (right).

### A. Proximity graphs and their properties

For standard notions in graph theory we refer to [20, Chapter 1]. Here, we start by briefly reviewing the notion of Laplacian matrix. Let  $G = (V, E)$  be an undirected graph with  $n$  vertices. The graph Laplacian matrix associated with  $G$  is defined as  $L = D - A$ , where  $D$  is the degree matrix and  $A$  is the adjacency matrix. The graph Laplacian is symmetric, positive semi-definite and has an eigenvalue at  $\lambda = 0$  with eigenvector  $(1, \dots, 1)^T$ . Furthermore, the graph  $G$  is connected if and only if  $\text{rank}(L) = n - 1$ .

Let us introduce some concepts about proximity graphs for point sets in  $\mathbb{R}^d$ . For a set  $S$ , let  $\mathbb{G}(S)$  be the set of undirected graphs whose vertex set is an element of  $\mathbb{F}(S)$ . A *proximity graph*  $\mathcal{G} : \mathbb{F}(\mathbb{R}^d) \rightarrow \mathbb{G}(\mathbb{R}^d)$  associates to  $\mathcal{P} \in \mathbb{F}(\mathbb{R}^d)$ , an undirected graph with vertex set  $\mathcal{P}$  and edge set  $\mathcal{E}_{\mathcal{G}}(\mathcal{P})$ , where  $\mathcal{E}_{\mathcal{G}} : \mathbb{F}(\mathbb{R}^d) \rightarrow \mathbb{F}(\mathbb{R}^d \times \mathbb{R}^d)$  satisfies  $\mathcal{E}_{\mathcal{G}}(\mathcal{P}) \subseteq \{(p, q) \in \mathcal{P} \times \mathcal{P} \mid p \neq q\}$ . In other words, the edge set depends on the location of the vertices. Examples include the complete graph and the Euclidean Minimum Spanning Tree  $\mathcal{G}_{\text{EMST}}$ . Here, we define [18], [21], [7]:

- (i) the *r-disk* graph  $\mathcal{G}_{\text{disk}}(r)$ , for  $r \in \mathbb{R}_+$ , with  $(p_i, p_j) \in \mathcal{E}_{\mathcal{G}_{\text{disk}}(r)}(\mathcal{P})$  if  $\|p_i - p_j\| \leq r$ ;
- (ii) the *Delaunay* graph  $\mathcal{G}_{\text{D}}$ , with  $(p_i, p_j) \in \mathcal{E}_{\mathcal{G}_{\text{D}}}(\mathcal{P})$  if  $V_i(\mathcal{P}) \cap V_j(\mathcal{P}) \neq \emptyset$ ;

- (iii) the *r-limited Delaunay* graph  $\mathcal{G}_{\text{LD}}(r)$  with  $(p_i, p_j) \in \mathcal{E}_{\mathcal{G}_{\text{LD}}}(r)$  if  $\Delta_{ij}(\mathcal{P}, \frac{r}{2}) \neq \emptyset$ ;
- (iv) the *Gabriel* graph  $\mathcal{G}_{\text{G}}$ , with  $(p_i, p_j) \in \mathcal{E}_{\mathcal{G}_{\text{G}}}(\mathcal{P})$  if, for all  $p_k \in \mathcal{P} \setminus \{p_i, p_j\}$ ,

$$p_k \notin B\left(\frac{p_i + p_j}{2}, \frac{\|p_i - p_j\|}{2}\right);$$

- (v) given a simple polytope in  $\mathbb{R}^d$ , the *visibility* graph  $\mathcal{G}_{\text{vis}, Q} : \mathbb{F}(Q) \rightarrow \mathbb{G}(Q)$  is defined by  $(p_i, p_j) \in \mathcal{E}_{\mathcal{G}_{\text{vis}, Q}}(\mathcal{P})$  if the closed segment from  $p_i$  to  $p_j$ , denoted  $[p_i, p_j]$ , is contained in  $Q$ .

We will also work with the proximity graphs  $\mathcal{G}_{\text{D} \cap \text{disk}}(r)$  and  $\mathcal{G}_{\text{LD} \cap \text{disk}}(r)$  defined by the intersection of  $\mathcal{G}_{\text{D}}$  and  $\mathcal{G}_{\text{D}}$  with  $\mathcal{G}_{\text{disk}}(r)$ ,  $r \in \mathbb{R}_+$ , respectively.

To each proximity graph  $\mathcal{G}$ , we associate the *set of neighbors map*  $\mathcal{N}_{\mathcal{G}} : \mathbb{R}^d \times \mathbb{F}(\mathbb{R}^d) \rightarrow \mathbb{F}(\mathbb{R}^d)$  defined by

$$\mathcal{N}_{\mathcal{G}}(p, \mathcal{P}) = \{q \in \mathcal{P} \mid (p, q) \in \mathcal{E}_{\mathcal{G}}(\mathcal{P} \cup \{p\})\}.$$

Given  $p \in \mathbb{R}^d$ , define  $\mathcal{N}_{\mathcal{G}, p} : \mathbb{F}(\mathbb{R}^d) \rightarrow \mathbb{F}(\mathbb{R}^d)$  by  $\mathcal{N}_{\mathcal{G}, p}(\mathcal{P}) = \mathcal{N}_{\mathcal{G}}(p, \mathcal{P})$ . Given  $\mathcal{G}_1$  and  $\mathcal{G}_2$ , we say that  $\mathcal{G}_1$  is *spatially distributed over*  $\mathcal{G}_2$  if, for all  $p \in \mathcal{P}$ ,

$$\mathcal{N}_{\mathcal{G}_1, p}(\mathcal{P}) \subseteq \mathcal{N}_{\mathcal{G}_2, p}(\mathcal{P}).$$

It is clear that if  $\mathcal{G}_1$  is spatially distributed over  $\mathcal{G}_2$ , then  $\mathcal{G}_1(\mathcal{P}) \subseteq \mathcal{G}_2(\mathcal{P})$  for all  $\mathcal{P} \in \mathbb{F}(\mathbb{R}^d)$ . The converse is in general not true (e.g.,  $\mathcal{G}_{\text{D} \cap \text{disk}}$  is a subgraph of  $\mathcal{G}_{\text{disk}}$ , but it is not spatially distributed over it, see [7]).

*Theorem 2.1:* For  $r \in \mathbb{R}_+$ , we have

- (i)  $\mathcal{G}_{\text{EMST}} \subseteq \mathcal{G}_{\text{G}} \subseteq \mathcal{G}_{\text{D}}$ ,  $\mathcal{G}_{\text{G} \cap \text{disk}}(r) \subseteq \mathcal{G}_{\text{LD}}(r) \subseteq \mathcal{G}_{\text{D} \cap \text{disk}}(r)$ ;
- (ii)  $\mathcal{G}_{\text{disk}}(r)$  is connected iff  $\mathcal{G}_{\text{EMST}} \subseteq \mathcal{G}_{\text{disk}}(r)$ ;
- (iii)  $\mathcal{G}_{\text{G} \cap \text{disk}}(r)$ ,  $\mathcal{G}_{\text{LD}}(r)$  are spatially distributed over  $\mathcal{G}_{\text{disk}}(r)$ .

Fig. 2 shows some examples of proximity graphs in  $\mathbb{R}^2$ .




Fig. 2. From left to right *r-disk*, *r-limited Delaunay*, and *Gabriel* graphs in  $\mathbb{R}^2$  for 25 agents with coordinates uniformly randomly generated within  $[-7, 7] \times [-7, 7]$  and  $r = 4$ .

### B. Spatially distributed maps

Here we provide an accurate notion of spatially distributed map. Let  $i_{\mathbb{F}} : (\mathbb{R}^d)^n \rightarrow \mathbb{F}(\mathbb{R}^d)$  be the natural immersion, i.e.,  $i_{\mathbb{F}}(P)$  is the point set that contains the distinct points in  $P \in (\mathbb{R}^d)^n$ . Given a set  $Y$  and a proximity graph  $\mathcal{G}$ ,  $T : (\mathbb{R}^d)^n \rightarrow Y^n$  is *spatially distributed over*  $\mathcal{G}$  if there exists  $\tilde{T} : \mathbb{R}^d \times \mathbb{F}(\mathbb{R}^d) \rightarrow Y$ , with the property that, for all  $(p_1, \dots, p_n) \in (\mathbb{R}^d)^n$  and for all  $j \in \{1, \dots, n\}$ ,

$$T_j(p_1, \dots, p_n) = \tilde{T}(p_j, \mathcal{N}_{\mathcal{G}, p_j}(i_{\mathbb{F}}(p_1, \dots, p_n))),$$

where  $T_j$  denotes the  $j$ th component of  $T$ . In other words, the  $j$ th component of a spatially distributed map at  $(p_1, \dots, p_n)$  can be computed with only the knowledge of the vertex  $p_j$  and its neighbors in  $\mathcal{G}(i_{\mathbb{F}}(p_1, \dots, p_n))$ .

### III. ENCODING COORDINATION TASKS

We now define various functions that encode coordination objectives and characterize their smoothness properties.

#### A. Aggregate cost functions for deployment

Loosely speaking, deployment consists of a network of mobile agents deploying in an environment to achieve maximum coverage of it. For  $\varepsilon \in \mathbb{R}_+$ , let  $n_{B(p,\varepsilon)}(q)$  be the unit outward normal to  $B(p,\varepsilon)$  at  $q \in \partial B(p,\varepsilon)$ . Let  $Q \subset \mathbb{R}^d$  be a simple convex polytope. Given  $S \subset Q$ , let  $1_S$  denote the indicator function,  $1_S(q) = 1$  if  $q \in S$ , and  $1_S(q) = 0$  if  $q \notin S$ . In what follows,  $\{V_i(\mathcal{P})\}_{i \in \{1, \dots, n\}}$  refers to the Voronoi partition of  $Q$  generated by  $\mathcal{P} \in \mathbb{F}(\mathbb{R}^d)$ .

A *density function*  $\phi : Q \rightarrow \mathbb{R}_+$  is a bounded function. Given  $S \subset Q$ , let  $\text{area}_\phi(S) = \int_S \phi(q) dq$ . A *performance function*  $f : \mathbb{R}_+ \rightarrow \mathbb{R}$  is a non-increasing and piecewise differentiable function with finite jump discontinuities. Given  $\phi$  and  $f$ , consider the function  $\mathcal{H} : Q^n \rightarrow \mathbb{R}$  defined by

$$\mathcal{H}(P) = \int_Q \max_{i \in \{1, \dots, n\}} f(\|q - p_i\|) \phi(q) dq. \quad (1)$$

Note that  $\mathcal{H}$  is an aggregate cost function since it depends on all the locations  $p_1, \dots, p_n$ . Roughly speaking,  $\mathcal{H}$  provides the *expected value of the sensing performance* provided by the group of agents over any point in  $Q$ , where  $\phi$  represents a probability that some event take place over  $Q$ , and  $f$  describes the performance of the sensors. Because of noise and loss of resolution, the sensing performance at point  $q$  taken from the sensor at  $p_i$  degrades with  $\|q - p_i\|$ . Therefore, it will be of interest to find local maxima for  $\mathcal{H}$ .

**Distortion problem:** If  $f(x) = -x^2$  (differentiable with no jump discontinuities),  $\mathcal{H}$  takes the form

$$\mathcal{H}_C(P) = - \sum_{i=1}^n \int_{V_i(P)} \|q - p_i\|^2 \phi(q) dq \triangleq - \sum_{i=1}^n J_{V_i, p_i},$$

where  $J_{W,p}$  denotes the polar moment of inertia of the set  $W \subset Q$  about the point  $p$ . In signal compression, see [22],  $-\mathcal{H}_C$  is referred to as the distortion function.

**Area problem:** If  $f(x) = 1_{[0,R]}(x)$ , then  $\mathcal{H}$  corresponds to the area, measured according to  $\phi$ , covered by the union of the  $n$  balls  $B(p_1, R), \dots, B(p_n, R)$ ; that is,

$$\mathcal{H}_{\text{area}}(P) = \text{area}_\phi(\cup_{i=1}^n B(p_i, R)).$$

**Mixed distortion-area problem:** For  $b \leq -R^2$ , if  $f(x) = -x^2 1_{[0,R]}(x) + b \cdot 1_{[R,+\infty)}(x)$ , then  $\mathcal{H}$  takes the form

$$\mathcal{H}_R(P) = - \sum_{i=1}^n J_{V_i \cap B(p_i, R), p_i} + b \text{area}_\phi(Q \setminus \cup_{i=1}^n B(p_i, R)).$$

#### B. Aggregate cost function for visibility-based deployment

Let  $Q$  be a simple non-convex polytope in  $\mathbb{R}^d$ . Given  $p \in Q$ , let  $S(p) = \{q \in Q \mid [q, p] \subset Q\}$  denote the *visible region in  $Q$*  from the location  $p$  (recall that  $[q, p]$  is the closed segment from  $q$  to  $p$ ). Define

$$\mathcal{H}_{\text{vis}}(P) = \int_Q \max_{i \in \{1, \dots, n\}} 1_{S(p_i)}(q) dq.$$

Roughly speaking,  $\mathcal{H}$  measures the amount of area of  $Q$  which is visible from any of the agents at  $p_1, \dots, p_n$ . Therefore, it will be of interest to find local maxima of  $\mathcal{H}_{\text{vis}}$ .

#### C. Aggregate cost functions for consensus

Let us here briefly consider a setup based on a fixed graph instead of a proximity graph. Let  $G = (\{1, \dots, n\}, E)$  be an undirected graph with  $n$  vertices. Following [13], define the *Laplacian potential*  $\Phi_G : \mathbb{R}^n \rightarrow \mathbb{R}_+$  associated with  $G$

$$\Phi_G(x) = x^T L x = \frac{1}{2} \sum_{(i,j) \in E} (x_j - x_i)^2.$$

For  $i \in \{1, \dots, n\}$ , the variable  $x_i$  is associated with the agent  $p_i$ . The variable  $x_i$  might represent physical quantities including attitude, position, temperature, or voltage. Two agents  $p_i$  and  $p_j$  are said to *agree* if and only if  $x_i = x_j$ . It is clear that  $\Phi_G(x) = 0$  if and only if all neighboring nodes in  $G$  agree. If, in addition,  $G$  is connected, then all nodes agree and a consensus is reached. Therefore,  $\Phi_G(x)$  quantifies the group disagreement in a network.

Note that achieving consensus is a network coordination problem that does not necessarily refer to physical variables such as spatial coordinates or velocities. In what follows we consider two “spatial versions” of consensus, that we refer to as rendezvous and cohesiveness.

#### D. Aggregate cost function for rendezvous

Roughly speaking, rendezvous means agreement over the location of the agents in a network. With a slight abuse of notation, we introduce the convex hull function  $\text{co} : (\mathbb{R}^d)^n \rightarrow 2^{(\mathbb{R}^d)}$  as  $\text{co}(P) = \text{co}(i_{\mathbb{F}}(P))$ , where we represent a polytope in  $\mathbb{R}^d$  by its vertex set. The *diameter function*  $\text{diam} : 2^{(\mathbb{R}^d)} \rightarrow \mathbb{R}_+ \cup \{+\infty\}$  is defined by

$$\text{diam}(S) = \sup\{\|p - q\| \mid p, q \in S\}.$$

Define  $V_{\text{diam}} = \text{diam} \circ \text{co} : (\mathbb{R}^d)^n \rightarrow \mathbb{R}_+$  by

$$\begin{aligned} V_{\text{diam}}(P) &= \text{diam}(\text{co}(P)) \\ &= \max\{\|p_i - p_j\| \mid i, j \in \{1, \dots, n\}\}. \end{aligned}$$

Let  $\text{diag}((\mathbb{R}^d)^n) = \{(p, \dots, p) \in (\mathbb{R}^d)^n \mid p \in \mathbb{R}^d\}$ . One can show that  $V_{\text{diam}} = \text{diam} \circ \text{co} : (\mathbb{R}^d)^n \rightarrow \mathbb{R}_+$  is locally Lipschitz and invariant under permutations of its arguments, and that  $V_{\text{diam}}(P) = 0$  if and only if  $P \in \text{diag}((\mathbb{R}^d)^n)$ . Therefore, the set of global minima of  $V_{\text{diam}}$  corresponds to the configurations where agents rendezvous.

#### E. Aggregate cost functions for cohesiveness

Let  $h : \mathbb{R}_+ \rightarrow \mathbb{R}$  be a continuously differentiable function satisfying the following conditions: (i)  $\lim_{R \rightarrow 0} h(R) = +\infty$ , (ii) there exists  $R_0 \in \mathbb{R}_+$  such that  $h$  is convex on  $(0, R_0)$  achieving its minimum at all the points in the interval  $[R_*, R'_*] \subset (0, R_0)$  and  $h$  is concave on  $(R_0, +\infty)$ , and (iii) there exists  $R_1 \in \mathbb{R}_+$ ,  $R_1 \geq R_0$  such that  $h(R) = c$  for all  $R \geq R_1$ . Let  $\mathcal{G}$  be a some proximity graph. Define now the aggregate cost function

$$\mathcal{H}_{\text{cohe}, \mathcal{G}}(P) = \sum_{(p_i, p_j) \in \mathcal{E}_{\mathcal{G}}(P)} h(\|p_i - p_j\|).$$

The minima of  $\mathcal{H}_{\text{cohe},\mathcal{G}}$  correspond to “cohesive” network configurations. Specifically, for  $n \in \{2, 3\}$ , configurations of minimum for  $\mathcal{H}_{\text{cohe},\mathcal{G}}$  have all neighboring agents’ locations within a distance contained in the interval  $[R_*, R'_*]$ . This objective function, or variations of it, has been employed over different proximity graphs in a number of works in the literature ([5] and [6] over the complete graph, [23] over the  $r$ -disk graph) to guarantee collision avoidance and cohesiveness of the network.

#### IV. TOWARD A SYSTEMATIC METHODOLOGY FOR THE DESIGN OF MOTION COORDINATION ALGORITHMS

In this section, we elaborate on the role played by the tools introduced in the previous sections. Throughout the discussion we do not enter into technical details, but rather refer to various works for further reference. Our intention is to provide a first step toward the establishment of a rigorous systems theoretic approach to the design and analysis of coordination algorithms for a variety of sensing tasks.

We start by informally describing the notion of coordination algorithm. Roughly speaking, a coordination algorithm consists of a control law for each agent of the network. In particular, we mainly focus on algorithms which specify the same control law for all agents. Mathematically, a coordination algorithm will be described in different forms, depending on whether it is implemented in continuous time (a vector field, or more generally, a differential inclusion over the configuration space of the network) or in discrete time (a map, or more generally, a set-valued map).

##### A. Coordination algorithms from aggregate cost functions

The first step of this approach is to identify the aggregate cost function which is relevant for the desired task. Once this objective function is determined, one analyzes its differentiable properties and computes its (generalized) gradient. With this information, it is possible to characterize its critical points, i.e., the desired network configurations. The next step is to identify the proximity graphs with respect to which the gradient of the objective function is spatially distributed (cf. Section II-B). If any of these proximity graphs is computable with the capabilities of the mobile network, then a control law for each agent simply consists of following the gradient of the aggregate cost function. By LaSalle Invariance Principle, such a coordination algorithm is automatically guaranteed to ensure convergence of the closed-loop network trajectories to the set of critical points.

*Example 4.1: (Distortion and area problems):* The coordination algorithms proposed in [7] for the distortion and the area problems are examples of this approach. For  $Q$  a simple convex polygon in  $\mathbb{R}^2$ , one can prove that the functions  $\mathcal{H}_C$  and  $\mathcal{H}_{\text{area}}$  are locally Lipschitz on  $Q^n$  and differentiable on  $Q^n \setminus \{(p_1, \dots, p_n) \in (\mathbb{R}^2)^n \mid p_i = p_j \text{ for some } i, j \in \{1, \dots, n\}, i \neq j\}$ , with

$$\frac{\partial \mathcal{H}_C}{\partial p_i}(P) = 2\mathcal{M}_{V_i(P)}(\text{CM}_{V_i(P)} - p_i), \quad (2a)$$

$$\frac{\partial \mathcal{H}_{\text{area}}}{\partial p_i}(P) = \sum_{k=1}^{M_i(R)} \int_{\text{arc}_{i,k}(R)} n_{B(p_i,R)} \phi, \quad (2b)$$

where  $\text{arc}_{i,1}(R), \dots, \text{arc}_{i,M_i(R)}(R)$  correspond to the arcs in  $\partial(V_i(i_{\mathbb{F}}(P)) \cap \overline{B}(p_i, R))$ . Here  $\mathcal{M}_W$  and  $\text{CM}_W$  denote, respectively, the mass and the center of mass with respect to  $\phi$  of  $W \subset Q$ . The critical points  $P \in Q^n$  of  $\mathcal{H}_C$  satisfy  $p_i = \text{CM}_{V_i(P)}$  for all  $i \in \{1, \dots, n\}$ . Such configurations are called *centroidal Voronoi configurations*, see [22].

From (2a) it is clear that the gradient of  $\mathcal{H}_C$  is spatially distributed over  $\mathcal{G}_D$ , whereas from (2b) one deduces that the gradient of  $\mathcal{H}_{\text{area}}$  is spatially distributed over  $\mathcal{G}_{\text{LD}}(2R)$ . The gradient flows of  $\mathcal{H}_C$  and of  $\mathcal{H}_{\text{area}}$  correspond to the coordination algorithms “move-toward-the-centroid of own Voronoi cell” and “move in the direction of the (weighted) normal to the boundary of own cell,” resp. Fig 3 shows an example of the execution of the second algorithm.  $\square$




Fig. 3. Area problem: 16 mobile agents in a convex polygon following the gradient of  $\mathcal{H}_{\text{area}}$  (cf. equation (2b)). The density function  $\phi$  (represented by means of its contour plot) is the sum of five Gaussian functions. Each agent operates with a finite radius  $r = .45$ . For each agent  $i$ , the intersection  $V_i \cap B(p_i, \frac{r}{2})$  is plotted in light gray.

*Example 4.2: (Consensus):* The asymptotic agreement algorithm proposed in [13] to solve the consensus problem is another example of this approach. For a fixed undirected graph  $G = (\{1, \dots, n\}, E)$ , the function  $\Phi_G$  is smooth, and its partial derivative takes the form

$$\frac{\partial \Phi_G}{\partial x} = Lx. \quad (3)$$

Clearly, this gradient is spatially distributed with respect to the graph  $G$  itself. The implementation of the gradient control law leads to the algorithm  $\dot{x}_i = \sum_{(i,j) \in E} (x_j - x_i)$ ,  $i \in \{1, \dots, n\}$  which asymptotically achieves average-consensus, i.e., the final value upon which all agents agree can be proved to be equal to  $\frac{1}{n} \sum_{i=1}^n x_i(0)$ .  $\square$

*Example 4.3: (Cohesiveness):* Another example of this approach are the coordination algorithms proposed in the literature to achieve cohesiveness [5], [6], [23]. For  $\mathcal{G}_{\text{complete}}$ , the function  $\mathcal{H}_{\text{cohe},\mathcal{G}_{\text{complete}}}$  is smooth on  $Q^n \setminus \{(p_1, \dots, p_n) \in (\mathbb{R}^2)^n \mid p_i = p_j \text{ for some } i, j \in \{1, \dots, n\}, i \neq j\}$ , with

$$\frac{\partial \mathcal{H}_{\text{cohe},\mathcal{G}_{\text{complete}}}}{\partial p_i}(P) = \sum_{p_j \in \mathcal{N}_{\mathcal{G}_{\text{disk}}(R_1), p_i}} \frac{\partial}{\partial p_i} (h(\|p_i - p_j\|)),$$

where we used the fact that  $0 = \partial h / \partial R$  for  $R \geq R_1$ . According to Section II, this gradient is spatially distributed over  $\mathcal{G}_{\text{disk}}(R_1)$ . The gradient descent control law for each agent guarantees that the network agents will asymptotically approach the set of critical points of  $\mathcal{H}_{\text{cohe},\mathcal{G}_{\text{complete}}}$ .  $\square$

Not always does the aggregate cost function enjoy the desirable property that its gradient is spatially distributed with respect to the required proximity graph. In other words, given an available information flow, not always the appropriate gradient flow can be computed. If this is the case,

then one possible approach is the following: (i) consider constant-factor approximations of the cost function, (ii) identify those approximations whose gradient is spatially distributed with respect to an appropriate proximity graph, and (iii) implement as coordination algorithm that each agent follows the gradient of the approximation.

*Example 4.4: (Mixed distortion-area problem):* The coordination algorithm proposed in [7] for the distortion problem falls into the situation described above. Since the gradient of  $\mathcal{H}_C$  is spatially distributed over  $\mathcal{G}_D$  (cf. (2a)), and this graph is not spatially distributed over  $\mathcal{G}_{\text{disk}}$ , the coordination algorithm “move-toward-the-centroid of own Voronoi cell” is not implementable over a network with limited-range interactions. Instead, for  $r \in \mathbb{R}_+$ , one has that (i) for  $\beta = r^2/(2 \text{diam } Q)^2$ ,

$$\mathcal{H}_{\frac{r}{2}}(P) \leq \mathcal{H}_C(P) \leq \beta \mathcal{H}_{\frac{r}{2}}(P) < 0, \quad (4)$$

and (ii) the partial derivative of  $\mathcal{H}_{\frac{r}{2}}$  is

$$\begin{aligned} \frac{\partial \mathcal{H}_{\frac{r}{2}}}{\partial p_i}(P) &= 2\mathcal{M}_{V_i(P) \cap B(p_i, \frac{r}{2})}(\text{CM}_{V_i(P) \cap B(p_i, \frac{r}{2})} - p_i) \\ &\quad - \left(\left(\frac{r}{2}\right)^2 + b\right) \sum_{k=1}^{M_i(\frac{r}{2})} \int_{\text{arc}_{i,k}(\frac{r}{2})} n_{B(p_i, \frac{r}{2})} \phi, \end{aligned}$$

where  $\text{arc}_{i,1}(\frac{r}{2}), \dots, \text{arc}_{i,M_i(\frac{r}{2})}(\frac{r}{2})$  correspond to the arcs in  $\partial(V_i(i_{\mathbb{F}}(P)) \cap \overline{B}(p_i, \frac{r}{2}))$ . Clearly, the gradient of  $\mathcal{H}_{\frac{r}{2}}$  is spatially distributed over  $\mathcal{G}_{\text{LD}}(r)$ , and therefore, the algorithm based on the gradient control law is implementable over a network with limited range interactions.  $\square$

### B. Coordinated behaviors from basic interaction laws

This approach consists of devising a simple control law, typically inspired by some sort of heuristic or behavior, that implemented over each agent of the network would reasonably perform the desired sensing task. Once this is done, one should (i) check that the resulting coordination algorithm is spatially distributed with regards to some appropriate proximity graph and (ii) characterize its asymptotic convergence properties. One way of doing the latter is by finding an aggregate cost function that encodes the desired sensing task and by showing that it is optimized along the execution of the coordination algorithm.

*Example 4.5: (Move-away-from-closest-neighbor):* Consider the coordination algorithm in [16] where each agent moves away from its closest neighbor (see Fig. 4). This interaction law is spatially distributed over  $\mathcal{G}_D$ . One can prove that along the network evolution, the aggregate function

$$\mathcal{H}_{\text{SP}}(P) = \min_{i \neq j \in \{1, \dots, n\}} \left\{ \frac{1}{2} \|p_i - p_j\|, \text{dist}(p_i, \partial Q) \right\}, \quad (5)$$

is monotonically non-decreasing. This function corresponds to the *non-interference problem*, where the network tries to maximize the coverage of the domain so that the various sensing radius of the agents do not overlap or leave the environment (because of interference). Under appropriate technical conditions, one can show that the critical points of  $\mathcal{H}_{\text{SP}}$  are incenter Voronoi configurations.  $\square$




Fig. 4. Non-interference problem: “move-away-from-closest-neighbor” algorithm for 16 mobile agents in a convex polygon. The left (respectively, right) figure illustrates the initial (respectively, final) locations and Voronoi partition. The central figure illustrates the evolution. For agent  $i$ , the ball of maximum radius contained in  $V_i$ , centered at  $p_i$ , is plotted in light gray.

*Example 4.6: (Flocking):* Consider the coordination algorithm analyzed in [3] for the flocking problem. Roughly speaking, flocking consists of agreeing over the direction of motion by the agents in the network. Let  $\mathcal{G}$  be a proximity graph. Consider the algorithm where each agent: (i) detects its neighbors’ (according to  $\mathcal{G}$ ) heading; (ii) computes the average of its neighbors’ heading and its own heading, and (iii) updates its heading to the computed average. This algorithm is spatially distributed over  $\mathcal{G}$ . Moreover, assuming that  $\mathcal{G}$  remains connected throughout the evolution, one can show that the agents asymptotically acquire the same heading. The proof method builds on the properties of ergodic and non-negative matrices from linear algebra and the properties of graph Laplacians from algebraic graph theory. It is also worth mentioning that, for  $\mathcal{G}_{\text{disk}}$ , one can establish [3] that there does not exist in general a quadratic Lyapunov function that helps characterize the asymptotic stability properties of the algorithm.  $\square$

### C. Coordination algorithms from local objective functions

This approach has common elements with the two approaches presented previously. Now, to derive a control law for each specific agent, one assumes that its neighboring agents, or some spatial structure attributed to it, remain fixed. One then defines a local objective function, which is somehow related with the global aggregate cost function encoding the desired task, and devises a control law to optimize it. The specific control strategy might be heuristically derived or arise naturally from the gradient information of the local objective function. Once the algorithm is setup, one should check that it is spatially distributed, and characterize its asymptotic convergence properties.

*Example 4.7: (Non-interference problem):* Consider the alternative expression for  $\mathcal{H}_{\text{SP}}$  (cf. equation (5))

$$\mathcal{H}_{\text{SP}}(P) = \min_{i \in \{1, \dots, n\}} \text{sm}_{V_i(P)}(p_i),$$

where  $\text{sm}_W(p) \triangleq \text{dist}(p, \partial W)$ . Now, for  $i \in \{1, \dots, n\}$ , consider  $\text{sm}_{V_i(P)}$  as a local objective function. Assuming that the Voronoi cell  $V_i(P)$  remains fixed, one can implement the (generalized) gradient ascent of  $\text{sm}_{V_i(P)}$  as the control law for the agent  $p_i$ . One can show [16] that this interaction law precisely corresponds to the strategy “move-away-from-closest-neighbor” discussed in Example 4.5.  $\square$

*Example 4.8: (Rendezvous):* Let  $\mathcal{G}$  be a proximity graph. Consider the Circumcenter Algorithm over  $\mathcal{G}$ , where each agent: (i) detects its neighbors according to  $\mathcal{G}$ ; (ii) computes

the circumcenter of the point set comprised of its neighbors and of itself, and (iii) moves toward this circumcenter while maintaining connectivity with its neighbors. To maintain connectivity, the allowable motion of each agent is conveniently restricted (see [8], [9], [11] for further details).

Note that in step (ii), assuming that all other agents remain fixed, each agent minimizes the local objective function given by the maximum distance from the agent to all its neighbors (according to  $\mathcal{G}$ ). By construction, this algorithm is spatially distributed over  $\mathcal{G}$ . Moreover, one can prove that the evolution of  $V_{\text{diam}}$  is monotonically non-increasing. Using the LaSalle Invariance Principle for closed algorithms (see [7]), one can characterize the correctness properties of the Circumcenter Algorithm over  $\mathcal{G}$ . These results can be further generalized to the case where each agent uses a different notion of proximity graph at each time step. See Fig. 5 for an illustration. A similar algorithm, where the agents, instead of rendezvousing at a common position, rendezvous at the direction of their velocity vectors would lead to a solution of the flocking problem.  $\square$




Fig. 5. Circumcenter Algorithm over  $\{\mathcal{G}_{\text{disk}}(r), \mathcal{G}_{\mathcal{G}}(r) \cap \mathcal{G}_{\text{disk}}(r)\}$  in  $\mathbb{R}^3$ .

## V. CONCLUSIONS

We have surveyed a set of recent tools (proximity graphs, spatially distributed maps, aggregate cost functions) that we believe are important in the design and analysis of motion coordination algorithms. We have also identified various approaches to the design of coordination algorithms and shown the wide applicability of the proposed tools in these approaches. We hope that in the coming years the set of control tools for motion coordination will continue to expand and will lead to the design of other spatially distributed primitives and the analysis of the algorithms' performance and complexity.

## ACKNOWLEDGMENTS

This material is based upon work supported in part by ONR YIP Award N00014-03-1-0512 and NSF SENSORS Award IIS-0330008. Sonia Martínez's work was supported in part by a Fulbright Postdoctoral Fellowship from the Spanish Ministry of Education and Science.

## REFERENCES

- [1] I. Suzuki and M. Yamashita, "Distributed anonymous mobile robots: Formation of geometric patterns," *SIAM Journal on Computing*, vol. 28, no. 4, pp. 1347–1363, 1999.
- [2] E. W. Justh and P. S. Krishnaprasad, "Equilibria and steering laws for planar formations," *Systems & Control Letters*, vol. 52, no. 1, pp. 25–38, 2004.
- [3] A. Jadbabaie, J. Lin, and A. S. Morse, "Coordination of groups of mobile autonomous agents using nearest neighbor rules," *IEEE Trans. on Automatic Control*, vol. 48, no. 6, pp. 988–1001, 2003.
- [4] E. Klavins, R. Ghrist, and D. Lipsky, "A grammatical approach to self-organizing robotic systems," *International Journal of Robotics Research*, 2004. Submitted.
- [5] V. Gazi and K. M. Passino, "Stability analysis of swarms," *IEEE Transactions on Automatic Control*, vol. 48, no. 4, pp. 692–697, 2003.
- [6] P. Ögren, E. Fiorelli, and N. E. Leonard, "Cooperative control of mobile sensor networks: adaptive gradient climbing in a distributed environment," *IEEE Transactions on Automatic Control*, vol. 49, no. 8, pp. 1292–1302, 2004.
- [7] J. Cortés, S. Martínez, and F. Bullo, "Spatially-distributed coverage optimization and control with limited-range interactions," *ESAIM. Control, Optimisation & Calculus of Variations*, Jan. 2004. To appear. Electronic version available at <http://www.me.ucsb.edu/bullo>
- [8] H. Ando, Y. Oasa, I. Suzuki, and M. Yamashita, "Distributed memoryless point convergence algorithm for mobile robots with limited visibility," *IEEE Transactions on Robotics and Automation*, vol. 15, no. 5, pp. 818–828, 1999.
- [9] J. Lin, A. S. Morse, and B. D. O. Anderson, "The multi-agent rendezvous problem: an extended summary," in *Proceedings of the 2003 Block Island Workshop on Cooperative Control* (V. Kumar, N. E. Leonard, and A. S. Morse, eds.), vol. 309 of *Lecture Notes in Control and Information Sciences*, pp. 257–282, New York: Springer Verlag, 2004.
- [10] Z. Lin, M. Broucke, and B. Francis, "Local control strategies for groups of mobile autonomous agents," *IEEE Transactions on Automatic Control*, vol. 49, no. 4, pp. 622–629, 2004.
- [11] J. Cortés, S. Martínez, and F. Bullo, "Robust rendezvous for mobile autonomous agents via proximity graphs in  $d$  dimensions," *IEEE Transactions on Automatic Control*, June 2004. Submitted. Electronic version available at <http://www.me.ucsb.edu/bullo>
- [12] J. Marshall, M. Broucke, and B. Francis, "Formations of vehicles in cyclic pursuit," *IEEE Transactions on Automatic Control*, vol. 49, no. 11, pp. 1963–1974, 2004.
- [13] R. Olfati-Saber and R. M. Murray, "Consensus problems in networks of agents with switching topology and time-delays," *IEEE Transactions on Automatic Control*, vol. 49, no. 9, pp. 1520–1533, 2004.
- [14] L. Moreau, "Stability of multiagent systems with time-dependent communication links," *IEEE Transactions on Automatic Control*, vol. 50, no. 2, pp. 169–182, 2005.
- [15] W. Ren and R. W. Beard, "Consensus seeking in multi-agent systems using dynamically changing interaction topologies," *IEEE Transactions on Automatic Control*, Dec. 2003. To appear.
- [16] J. Cortés and F. Bullo, "Coordination and geometric optimization via distributed dynamical systems," *SIAM Journal on Control and Optimization*, June 2004. To appear.
- [17] A. R. Teel, "Nonlinear systems: discrete-time stability analysis." Lecture Notes, University of California at Santa Barbara, 2004.
- [18] M. de Berg, M. van Kreveld, and M. Overmars, *Computational Geometry: Algorithms and Applications*. New York: Springer Verlag, 1997.
- [19] A. Okabe, B. Boots, K. Sugihara, and S. N. Chiu, *Spatial Tessellations: Concepts and Applications of Voronoi Diagrams*. Wiley Series in Probability and Statistics, New York, NY: John Wiley & Sons, second ed., 2000.
- [20] R. Diestel, *Graph Theory*, vol. 173 of *Graduate Texts in Mathematics*. New York: Springer Verlag, second ed., 2000.
- [21] J. W. Jaromczyk and G. T. Toussaint, "Relative neighborhood graphs and their relatives," *Proceedings of the IEEE*, vol. 80, no. 9, pp. 1502–1517, 1992.
- [22] Q. Du, V. Faber, and M. Gunzburger, "Centroidal Voronoi tessellations: applications and algorithms," *SIAM Review*, vol. 41, no. 4, pp. 637–676, 1999.
- [23] H. Tanner, A. Jadbabaie, and G. J. Pappas, "Flocking agents with varying interconnection topology," *Automatica*, July 2003. Submitted.