

Keyword and Title Index

A

absorption	44, 88, 132, 523, 912
Absorption of carbonyl sulphide in aqueous piperazine, Huttenhuis, P.J.G., Mohan, A., van Loo, S. and Versteeg, G.F.	581
acetone	73
adsorption	657
aldol condensation	73
alkanolamine	498, 973
alternative schemes	610
ambient conditions	891
amines	132
Application of the penetration theory for gas–liquid mass transfer without liquid bulk – differences with systems with a bulk, van Elk, E.P., Knaap, M.C. and Versteeg, G.F.	294
attainable regions	73
azeotropes	431
azeotropic distillation	858
azeotropic mixture	954
azeotropic separation	945

B

batch distillation	440, 745
batch reactive distillation	868
batch rectifier	830
biodiesel	142
Biodiesel production, lubricant fractionating and development of a new true boiling point curve through molecular distillation, Maciel Filho, R., Lima Silva, N., Batistella, C.B., Wolf Maciel, M.R., Winter, A., Sbaite, P. and Medina, L.	142
boiling in distributors	409
borage oil	648
boundary value method	364
bounded homotopy continuation methods	790
bubble column	973

C

$c^2 - \varepsilon_c$ model	282
capacity	311, 392

carbonyl sulphide	581
castor oil	142
catalytic distillation	820, 991
catalytic packing	554
CFD simulation and experimental validation of fluid flow in liquid distributors, Heggemann, M., Hirschberg, S., Spiegel, L. and Bachmann, C.	773
Challenges and opportunities for the suppliers of technologies, equipment and services for separation towers, Fankhauser, U.	21
chance constrained programming	954
chemical absorption	460
chemical equilibrium	563
chemical kinetics	336
CO ₂ absorption	511
CO ₂ capture	132
column	44
column hydraulics	267
column internals	44, 523
column intervals	786
column profile maps	111
column profiles	431
Combining shortcut methods and rigorous MINLP optimization for the design of distillation processes for homogenous azeotropic mixtures, Kossack, S., Kraemer, K. and Marquardt, W.	122
comparison	754
Comparison of the effective surface area of some highly effective random packings third and forth generation, Kolev, N., Nakov, S., Ljutzkanov, L. and Kolev, D.	754
computational fluid dynamics (CFD)	190, 220, 534, 544, 773
computational mass transfer (CMT)	282
concentration distribution	220
conceptual design	73, 100, 122, 364
Conceptual design of reactive dividing wall columns, Daniel, G., Patil, P., Dragomir, R. and Jobson, M.	364
Continuous three phase distillation: a process for separating thermally unstable substances, Ottenbacher, M. and Hasse, H.	840
control properties	610, 728
Control properties of alternative schemes to thermally coupled distillation columns for ternary mixtures separations, Alcántara-Ávila, R., Cabrera-Ruiz, J., Tamayo-Galván, V.E., Segovia-Hernández, J.G. and Hernández, S.	610
control structure selection	590
controller performance	954
crude oil vacuum tower	230

D	
DDV tray	982
deodorizer distillate of soybean oil	648
design	152
Design of industrial reactive absorption proceses in sour gas treatment using rigorous modelling and accurate experimentation, Thiele, R., Faber, R., Repke, J.-U., Thielert, H. and Wozny, G.	469
desorption	132
detection of multiple steady states	858
Development of a hybrid solvent recovery process (combination of distillation and vapour permeation), Ohligschläger, A.	854
Development of a new distillation based process for trioxane production, Grützner, T., Lang, N., Siegert, M., Ströfer, E. and Hasse, H.	336
different packings	754
dispersion	657
distillate	431
distillation	100, 111, 152, 172, 181, 241, 252, 267, 392, 450, 619, 638, 786, 809
distillation boundary	431
distillation column	220, 590
Distillation column control using the whole temperature profile, Chew, M., Jones, W.E. and Wilson, J.A.	600
distillation design	122
distillation dynamics	200
distillation startup	800
Distillation startup of fully thermally coupled distillation columns: theoretical examinations, Niggemann, G., Gruetzmann, S. and Fieg, G.	800
Distillation trays that operate beyond the limits of gravity by using centrifugal separation, Wilkinson, P., Vos, E., Konijn, G., Kooijman, H., Mosca, G., Tonon, L.	327
distributor	773
disturbance propagation	200
(Di)still modeling after all these years: a view of the state of the art, Taylor, R.	1
divided wall	638
dividing-wall column	800
Dos and don'ts of distillation column control, The, Skogestad, S.	28
double-tube column	737
Dynamic analysis of distillation with thermal coupling for different operating conditions, Hernández-Vargas, E.A., Segovia-Hernández, J.G., Hernández, S. and Jiménez, A.	728
dynamic optimisation	868
dynamic simulation	800

E	
effective surface area	754
efficiency	311, 392
energy efficiency	63
energy saving	745, 900
energy-and-mass integration	945
energy-saving	172
Energy-saving characteristics of heat integrated distillation column technology applied to multi-component petroleum distillation, Horiuchi, K., Yanagimoto, K., Kataoka, K. and Nakaiwa, M.	172
energy-saving distillation	737
energy-saving-tray	982
Enrichment of natural products using an integrated solvent-free process: molecular distillation, Fregolente, L.V., Moraes, E.B., Martins, P.F., Batistella, B., Wolf Maciel, M.R., Afonso, A.P. and Reis, M.H.M.	648
entrainer	678
Entrainer selection for the synthesis of fatty acid esters by entrainer-based reactive distillation, de Jong, M.C., Dimian, A.C., Kuipers, N.J.M. and de Haan, A.B.	678
entrainment	920
entropy generation rate	982
esterification	273, 373
ethanol	142, 619
Evaluation of phase equilibria for dilute mixtures for design purposes, Ngigi, G., Hildebrandt, D. and Glasser, D.	928
evaporation	809
evaporative heat transfer	745
experimental	111
Experimental column profile maps with varying delta points in a continuous column for the acetone methanol ethanol system, Wilson, C., Hildebrandt, D. and Glasser, D.	111
experimental data	667
Experimental evaluation of sulphur dioxide absorption in water, Chavez, R.-H., Guadarrama, J. de J. and Klapp, J.	912
Experimental investigation of reactive distillation in combination with membrane separation, Buchaly, C., Kreis, P. and Górkak, A.	373
Experimental investigation of reactive distillation packing Katapak® – SP 11: hydrodynamic aspects and size effects, Brunazzi, E. and Viva, A.	554
Experimental simulation of the saddle point region in a distillation column profile map by using a batch apparatus, The, Modise, T., Kauchali, S., Hildebrandt, D. and Glasser, D.	431

Extended smoker's equation for calculating number of stages in distillation,	937
Bandyopadhyay, S.	
extractive distillation	699, 830

F

fatty acids	678
feed composition estimation	600
feed enthalpy manipulation	600
film	294
flash calculation	877
flashing	384, 409
flashing feed	230
flooding	400
flue gas	132
fluid dynamics	554
fluid-phase equilibria	336
foam	657
foam fractionation	657
foaming	392
Foaming effect on random packing performance, Chen, G.X., Cai, T.J.,	
Chuang, K.T. and Afacan, A.	392
formaldehyde	336
Functionalised solvents for olefin isomer purification by reactive extractive	
distillation, Kuipers, N.J.M., Wentikn, A.E., de Haan, A.B.,	
Scholtz, J. and Mulder, H.	689
functionalized ionic liquids	511

G

GA	628
gamma scans	384
gamma-linolenic acid	648
gas purification	469
gas treating	581
graphical	152

H

heat integrated distillation column	172
heat integration	181, 900
Heat and mass transfer characteristics of an annular sieve tray, de Rijke, A.,	
Tesselaar, W., Gadalla, M.A., Olujic, Z. and Jansens, P.J.	181

heat transfer	737
heavy petroleum fractions	143
heteroazeotropic distillation	840
heterogeneous entrainer	440
HIDiC	181
high capacity packing	991
High-efficiency distillation system for batch or semi-batch chemical reactors, A, Noda, H., Mukaida, T., Kaneda, M., Yamaji, H. and Kataoka, K.	745
high-efficiency reboiler	745
high-performance	311
High-performance trays: getting the best capacity <i>and</i> efficiency, Penciak, J., Nieuwoudt, I. and Spencer, G.	311
hold-up	973
How to decide when and how much to use reactive distillation, Mulopo, J.L., Hildebrandt, D. and Glasser, D.	964
How to surpass conventional and high capacity structured packings with Raschig Super-Pak, Chambers, S. and Schultes, M.	241
hybrid	152, 619
hybrid distillation/pervaporation	628
hybrid process	373
hybrid separations	63
Hydraulic measurements of sieve plate, Keskinen, K.I., Ahlfors, H.-M. and Aittamaa, J.	920
hydraulics	920
hydrodynamic analogy	211
hydrodynamic performance	912
 I	
ILs	511
IMTP	754
Industrial absorption current status and future aspects, Thiele, R. and Löning, J.M.	44
Industrial application of a new batch extractive distillation operational policy, Lang, P., Kovacs, Gy., Kotai, B., Gaal-Szilagyi, J. and Modla, G.	830
Industrial experience with hybrid distillation – pervaporation or vapour permeation applications, Roza, M. and Maus, E.	619
industrial experiments	830
inlet device	230
integrated process	273
integrated processes	364
interfacial area	523, 973
Internal column-to-column heat transfer characteristics for energy-saving distillation system, Noda, H., Mukaida, T., Kaneda, M., Kataoka, K. and Nakaiwa, M.	737
internal heat integration	737

Internally heat-integrated distillation column (HIDiC) in Japan, An, Iwakabe, K., Nakaiwa, M., Huang, K., Matsuda, K., Nakanishi, T., Ohmori, T., Endo, A. and Yamamoto, T.	900
inverted batch distillation	709
IPA	619
isooctane	450
isooctene	450

K

Kalman filtering	600
Katapak	991
Katapak®	554
kinetics	581, 667

L

ligands	689
liquid distribution	252
Liquid distribution behaviour of conventional and high capacity structured packings, Olujić, Ž., van Baak, R. and Haaring, J.	252
liquid distributor	267
liquid distributors	384, 409
liquid entrainment	230
liquid holdup	554
liquid layer	294
liquid–liquid equilibrium	574
Liquid–liquid equilibrium in binary mixtures of 1-ethyl-3-methylimidazolium ethylsulfate and hydrocarbons, Bendová, M.	574
Liquid–liquid–liquid equilibrium flash calculations, Denes, F., Lang, P. and Lang-Lazi, M.	877
lubricant suggested theme:	143

M

maldistribution	252, 384, 409, 418
mass transfer	44, 294, 991
mass transfer coefficients	523
MDEA	460
measurements	920
membrane separation	373
membranes	152
Method of design for packed column type HIDiC, Nakanishi, T., Aso, K., Takamatsu, T., Matsuda, K., Nakaiwa, M. and Hasebe, S.	851

methyl acetate hydrolysis	353
Methyl acetate hydrolysis in a reactive divided wall column, Sander, S., Flisch, C., Geissler, E., Schoenmakers, H., Ryll, O. and Hasse, H.	353
methyl acetate transesterification	344
methyldiethanolamine	498
middle vessel batch distillation	891
middle vessel column	699
minimum energy calculation	790
minimum error profile control	600
minimum reflux	790
miniplant	450
Miniplant in modelling distillation for an isoctene process, Jakobsson, K., Ouni, T., Lievo, P., Uusi-Kyyry, P., Dell'Era, C., Pyhälähti, A. and Aittamaa, J.	450
MINLP	122
MINLP optimization	820
MINLP optimization of catalytic distillation columns using a rate-based model, Gomez, J.M., Reneaume, J.M., Meyer, M. and Meyer, X.	820
mixed-phase feed	230
Mixed-phase feeds in mass transfer columns and liquid separation, Wehrli, M., Schaeffer, P., Marti, U., Muggli, F. and Kooijman, H.	230
mixing	657
Modeling and measurement of macroscopic flow fields in structured packings. Mahr, B. and Mewes, D.	544
modelling	267, 544, 868
Modelling of mixture separation in a column with structured packing. Effects of liquid maldistribution, Trifonov, Y., Sunder, S. and Houghton, P.	764
Modified model of computational mass transfer for distillation column, A, Sun, Z.M., Yuan, X.G., Liu, C.J. and Yu, K.T.	282
modular catalytic structured packing	991
molecular distillation	648
multicomponent distillation	590
multiphase equilibrium	877
multiphase flow	190
 N	
n-propyl acetate	667
Neural network based modelling and optimisation in batch reactive distillation, Mujtaba, I.M. and Greaves, M.A.	868
New method for the determination of batch heteroazeotropic distillation regions, Modla, G. and Lang, P.	440
New method to predict the susceptibility to form maldistribution in packed columns based on pressure drop correlations, A, Duss, M.	418

new stirrer	745
neural network	868
NMR-spectroscopy	336
non-equilibrium chemical reaction	563
non-equilibrium processes	809
non-equilibrium model	719, 820
non-linear model predictive profile control	600
non-linear wave	200
Non-linear wave model with variable molar flows for dynamic behaviour and disturbance propagation in distillation columns, A, Hankins, N.	200

O

olefin isomer separation	689
On thermodynamics of evaporation processes in nonequilibrium systems, Toikka, A.	809
On the track to understanding three phases in one tower, Repke, J.-U., Hoffmann, A., Ausner, I., Villain, O. and Wozny, G.	190
online optimization	954
operation	638
Optimal configuration, design and operation of continuous hybrid distillation/pervaporation processes, Barakat, T. and Sørensen, E.	628
optimal design	820
optimisation	628, 790
orifice coefficient	773
overall heat transfer coefficient	181

P

packed bed column	754
packed column	172, 773
packed columns	294
packed towers	384, 409, 469
packing	230, 400
packings	190, 267, 392
penetration theory	294
pervaporation	619
phase equilibria	678
phase transitions	563
Phase transitions in quaternary reacting systems with esterification reaction, Toikka, M.	563
π -complexation	689
pinch point curve	431

piperazine	581
plate column	737
Prediction of CO ₂ and H ₂ S solubility in aqueous MDEA solutions using an extended Kent and Eisenberg model, Patil, P., Malik, Z. and Jobson, M.	498
Prediction of temperature and concentration distributions of distillation sieve trays by CFD, Rahimi, R., Rahimi, M.-R., Shahraki, F. and Zivdar, M.	220
pressure drop	267, 418, 534, 754, 920
Pressure optimisation of an original system of pressure swing with a reactive column, Bonet, J., Galan, M.I., Costa, J., Thery, R., Meyer, X., Meyer, M. and Reneaume, J.M.	344
pressure sensitive distillation	344
Pressure swing batch distillation for homogenous azeotropic separation, Repke, J.-U., Klein, A., Bogle, D. and Wozny, G.	709
pressure swing distillation	709
pressure-swing distillation	945
process development	336
process simulation	100
process simulators	858
process synthesis	964
Production of propyl acetate by reactive distillation: from experiments to simulation, Brehelin, M., Rouzineau, D., Forner, F., Repke, J.-U., Meyer, M. and Wozny, G.	667
profile control	200

R

Ralu-Flow	754
random and structured packing	418
Raschig Super-Pak	241
rate based modelling	44
rate-based model	273
Rate-based modelling and simulation of reactive stripping, Mueller, I., Kenig, E.Y., Kloeker, M., Schildhauer, T.J., Kapteijn, F. and Moulijn, J.A.	273
RBM	122
reacting systems	563, 809
reaction 8/8-analysis	100
reactive absorption	469
reactive distillation	73, 344, 353, 364, 373, 554, 667, 678, 964
reactive divived wall column	353
reactive extractive distillation	689
reactive stripping	273
residue curve maps	152

residue curves	111, 440
Retrofit design for gas sweetening processes, Patil, P., Malik, Z. and Jobson, M.	460
revamp	460
Rigorous method of minimum energy calculation for a fully thermally coupled distillation system, Malinen, I. and Tanskanen, J.	790
rigorous process model	800
rigorous simulation	699, 830
riser	657
Riser design in foam fractionation, Martin, P.J., Swain, M. and Darton, R.C.	657
Robust online optimization based on controller performance metrics for a high-pressure distillation column, Barz, T., Arellano-Garcia, H. and Wozny, G.	954
robustness	954
Rombopak	534
room-temperature ionic liquids	574
RSR	754

S

sandwich packing	786
Sandwich packing – a new type of structured packing to increase capacity and mass transfer of distillation columns, The, Jodecke, M., Friese, T., Schuch, G., Kaibel, B. and Jansen, H.	786
scale-up	267
screening	88
Selection and pilot plant tests of new absorbents for post combustion carbon dioxide capture, Notz, R., Aspiron, N., Clausen, I. and Hasse, H.	132
Selectivity engineering with reactive distillation: determination of attainable region, Agarwal, V., Thotla, S. and Mahajani, S.M.	73
Self-optimizing configurations for two-product distillation columns, Shigueo Hori, E., Skogestad, S. and Al-Arfaj, M.A.	590
sensitivity	418
separation	152
separation of azeotropes	440
Separation of maximum azeotropes in a middle vessel column, Kotai, B., Lang, P. and Balazs, T.	699
Separation of methanol/butene/MTBE using hybrid distillation-membrane processes, Peters, M., Kauchali, S., Hildebrandt, D. and Glasser, D.	152
separation performance	211
Separation performance of structured packed columns: a comparison of two modelling approaches, Shilkin, A. and Kenig, E.Y.	211

Shortcut evaluation of absorption for synthesis of gas separation networks, Martin, M., Jobson, M., Zhang, N. and Heggs, P.J.	88
shortcut model	88
shortest distillation lines	63
sieve plate	920
sieve tray	220
sieve tray column	282
simple distillation	563
simulated annealing	460
simulation	282
simulation experiments	709
SO ₂	912
solution multiplicity	858
solvent properties	511
Solvent properties of functionalized ionic liquids for CO ₂ absorption, Galán Sánchez, L.M., Meindersma, G.W. and de Haan, A.B.	511
solvent selection	132
solvent stability	132
sour gas treatment	469
Stabilizing operation of a 4-product integrated Kaibel column, Strandberg, J. and Skogestad, S.	638
Standardisation of mass transfer measurements – a basis for the description of absorption processes, Hüpen, B., Hoffmann, A., Góral, A., Löning, J.-M., Haas, M., Runowski, T. and Hallenberger, K.	523
start-up	667, 709, 945
Startup analysis of mass- and heat-integrated two-column-systems, Varbanov, P., Klein, A., Repke, J.-U. and Wozny, G.	945
Startup operation of a cyclic middle vessel batch distillation, Gruetzmann, S., Niggemann, G., Kapala, Th. and Fieg, G.	891
startup procedures	891
Strategies for identifying multiplicities in distillation systems using process simulators, Chokshi, S. and Malik, R.K.	858
structured	400
structured packing	294, 534, 544, 554, 912
Structured packing flooding: its measurement and prediction, Lockett, M.J., Victor, R.A. and Billingham, J.F.	400
structured packings	211, 241, 252
Study on an energy-saving tray DDV with new structures, A., Zhang, Z.B., Liang, Y.C., Meng, W.M. and Zhou, Z.	982
Study of the thermally coupled distillation sequences using a nonequilibrium stage model, Abad-Zarate, E.F., Gómez-Castro, F.I., Segovia-Hernández, J.G. and Hernández, S.	719

susceptibility	418
Synthesis, design and retrofitting of energy efficient separation processes, Lucia, A., Amale, A. and Taylor, R.	63
T	
TBA	450
temperature distribution	220
temperature profile control	600
temperature surveys	384
Theoretical and experimental study of the absorption rate of H ₂ S in CuSO ₄ solutions: the effect of enhancement of mass transfer by a precipitation reaction, ter Maat, H., Al-Tarazi, M., Hogendoorn, J.A., Niederer, J.P.M. and Versteeg, G.F.	481
Thermal integration of a distillation column through side-exchangers, Bandyopadhyay, S.	162
thermally coupled columns	638
thermally coupled distillation sequences	610
thermally coupled distillation sequences	719, 728
thermally coupled distillation systems	790
thermally instable substances	840
Thermodynamic analysis of multicomponent distillation-reaction processes for conceptual process design, Ryll, O., Blagov, S. and Hasse, H.	100
thermodynamic model	498
thermodynamics	809
THF	619
three phase distillation	190, 267, 840
three-liquid phase	877
Three-phase distillation in packed columns: guidelines for development, design and scale-up, Meier, R., Leistner, J. and Kobus, A.	267
total reflux	891
tower feed	409
tower performance	190
transesterification	142
tray efficiency	181
trays	311
trioxane	336
Troubleshoot packing maldistribution upset Part 1: temperature surveys and gamma scans, Kister, H.Z., Stupin, W.J. and Ernst Oude Lenferink, J.	384
Troubleshoot packing maldistribution upset part 2: boiling and flashing in packed tower distributors, Kister, H.Z., Stupin, W.J. and Ernst Oude Lenferink, J.	409
troubleshooting	384, 409

turbulent mass transfer diffusivity	282
two-film model	211
two-phase flow	534
two-pressure column system	954
U	
uncertainty	954
Use of directional momentum devices on fractionation trays, The, Pilling, M., Summers, D. and Fischer, M.	317
useful capacity	241
V	
validation	773
vapor permeation	619
vapour permeation	373
vapour–liquid equilibrium	498
Vapour–liquid mass transfer performance of modular catalytic structured packing, Behrens, M., Olujić, Ž. and Jansens, P.J.	991
variable molar flow	200
Variation of the interfacial area during CO ₂ absorption into alkanolamines aqueous solutions in a bubble column reactor, Alvarez, E., Cancela, M.A., Maceiras, R. and Navaza, J.M.	973
vitamin E	648
VLE	450
VOF	773
VOF model	534
volumetric method	574
W	
water	450
wetting	534
Wetting performance and pressure drop of structured packings: CFD and experiment, Ataki, A., Kolb, P., Bühlmann, U. and Bart, H.-J.	534