

Propagation of mean anisotropy of signals in filter connections

A.P. Kurdyukov^{*}, I.G. Vladimirov^{**}

* Institute of Control Sciences RAS, Moscow, Russia, 117997, Profsoyuznaya 65, e-mail: kurdukov@gol.ru ** The University of Queensland, Brisbane, Australia, QLD 4072, e-mail: I.Vladimirov@minmet.uq.edu.au

Abstract: The anisotropy-based approach to robust control in stochastic systems occupies a unifying intermediate position between the \mathcal{H}_2 and \mathcal{H}_{∞} -optimal control theories. Initiated at the interface of Information Theory and Robust Control about fourteen years ago, the approach employs the *a*-anisotropic norm of a linear system as its worst-case sensitivity to input random disturbances whose mean anisotropy is bounded by a nonnegative parameter *a*. The latter quantifies the temporal "colouredness" and spatial "non-roundness" of the signal by its minimal relative entropy production rate with respect to Gaussian white noises with scalar covariance matrices. Revisiting the underlying definitions, the paper emphasizes the role of feedback in the construct of mean anisotropy of signals and discusses propagation of the latter through various filter connections. The results can be used to support physical and engineering intuition for a "rational" choice of the mean anisotropy level *a* in the design of anisotropy-based robust controllers. *Copyright* ©2008 IFAC.

Keywords: Stochastic robust control, mean anisotropy, anisotropic norm, filter connections, Kolmogorov-Szegö formula.

1. INTRODUCTION

Performance analysis and optimal design of control systems and signal processing devices substantially rely on the statistical characteristics of the underlying random disturbances. The inevitable uncertainty in the knowledge of these last is a standard motivation for stochastic minimax settings in Robust Control.

The anisotropy-based approach to stochastic robust control occupies a unifying intermediate position between the \mathcal{H}_2 and \mathcal{H}_{∞} -optimal control theories. Initiated about fourteen years ago at the interface of Information Theory and Robust Control, the approach employs the concepts of *mean anisotropy* of signals and *anisotropic norm* of systems (Semyonov et al. [1994], Vladimirov et al. [1995, 1996]).

The mean anisotropy of a multidimensional random signal is defined via its relative entropy, or historically, the Kullback-Leibler informational divergence, with respect to Gaussian white noises with scalar covariance matrices (Vladimirov et al. [2006]). It therefore quantifies both temporal correlations, that is, "colouredness" or predictability, of the signal and its spatial "non-roundness".

A similar, though different, approach using the relative entropy to describe statistical uncertainty in stochastic control systems can be found in (Petersen et al. [2000], Petersen [2006]).

The *a*-anisotropic norm of a system is the worst-case sensitivity of its output measured by the largest root mean square gain of the system with respect to input random disturbances whose mean anisotropy is bounded by a nonnegative parameter a.

The anisotropy-based approach to controller design employs the a-anisotropic norm of the closed-loop system as a performance index which is to be minimized, with the magnitude of the parameter a governing the robustness, and hence, conservativeness of the controller.

Since the exogenous perturbations are often caused by superposition of various effects from other interacting systems, the present paper provides a collection of results on the changes in the mean anisotropy of signals propagating through filter connections.

In this context, a leading part is played by feedback since the latter constitutes a universal vehicle for creating the temporal correlations in a signal via "recycling" its past history. Furthermore, the role of feedback for the mean anisotropy of signals is closely related to the Kolmogorov-Szegö formula (Ibragimov and Rosanov [1978]) for the Shannon entropy production rate in a stationary Gaussian sequence.

Revisiting the underlying definitions in Section 2, the paper dedicates Section 3 to the role of feedback in the construct of mean anisotropy of signals and discusses the propagation of the latter through various types of filter connections in Section 4.

The results of the paper can be used to support physical and engineering intuition for a "rational" choice of the anisotropy level a in the design of anisotropy-based robust controllers.

2. MEAN ANISOTROPY AND ANISOTROPIC NORM

Let $V = (v_k)_{k \in \mathbb{Z}}$ be an *m*-dimensional discrete-time Gaussian white noise, that is, a sequence of independent Gaussian random vectors with zero mean $\mathbf{E}v_k = 0$ and identity covariance matrix $\mathbf{E}(v_k v_k^T) = I_m$. Here, \mathbb{Z} is the set of integers which label equidistant moments of discrete time.

Consider the *m*-dimensional stationary Gaussian signal $W = (w_k)_{k \in \mathbb{Z}} = GV$ generated from V by a linear discrete time invariant causal system G with impulse response function $0 \le k \mapsto g_k \in \mathbb{R}^{m \times m}$ as

$$w_j = \sum_{k=0}^{+\infty} g_k v_{j-k}.$$

The generating filter ${\cal G}$ is identified with its matrix transfer function

$$G(z) = \sum_{k=0}^{+\infty} g_k z^k \tag{1}$$

which is assumed to be in the Hardy space $\mathcal{H}_2^{m \times m}$, endowed with the \mathcal{H}_2 -norm

$$||G||_2 = \sqrt{\sum_{k\geq 0} ||g_k||_2^2} = \sqrt{\mathbf{E}(|w_j|^2)},$$

extending the Frobenius norm $||M||_2 = \sqrt{\text{Tr}(MM^T)}$ of a finite-dimensional real matrix M. The mean anisotropy (Vladimirov et al. [1995]) of the signal W = GV is defined by

$$\overline{A}(G) = -\frac{1}{4\pi} \int_{-\pi}^{\pi} \ln \det \left(\frac{m\widehat{G}(\omega)(\widehat{G}(\omega))^*}{\|G\|_2^2} \right) d\omega \qquad (2)$$

where $\widehat{G}(\omega) = \lim_{\rho \to 1^{-}} G(\rho e^{i\omega})$ is the angular boundary value of the transfer function (1), with the limit understood in the sense of the L_2 -norm, so that \widehat{G} is the Fourier transform of the impulse response function.

Note that (2) extends to systems $G \in \mathcal{H}_2^{m \times r}$ of full row rank $m \leq r$. More precisely, $0 \leq \overline{A}(G) < +\infty$ iff rank $\widehat{G}(\omega) = m$ for almost all $\omega \in [-\pi, \pi]$, in which case the mean anisotropy $\overline{A}(G)$ is completely specified by the singular values of \widehat{G} ; otherwise, $\overline{A}(G) = +\infty$.

Furthermore, $\overline{A}(G) = 0$ iff G is an all-pass system up to a nonzero constant scalar multiplier, that is, $\widehat{G}(\omega)(\widehat{G}(\omega))^* = \lambda I_m$ for almost all $\omega \in [-\pi,\pi]$ for some $\lambda > 0$, or equivalently, iff W is a Gaussian white noise with scalar covariance matrix $\mathbf{E}(w_k w_k^T) = \lambda I_m$.

In general, the mean anisotropy $\overline{A}(G)$ can be equivalently defined as the minimal relative entropy production rate of W = GV with respect to the family of Gaussian white noises with scalar covariance matrices (Vladimirov et al. [2006], pp. 1266–1269). More precisely,

$$\overline{A}(G) = \lim_{N \to +\infty} \frac{\min_{\lambda > 0} \mathbf{D}(P_N || Q_{mN,\lambda})}{N}.$$

Here, P_N is the probability distribution of the mNdimensional random vector $(w_k)_{0 \le k < N}$, the fragment of the signal W on the time interval $\{0, \ldots, N-1\}$, and $Q_{r,\lambda}$ is the *r*-variate Gaussian probability measure with zero mean and covariance matrix λI_r , whose probability density function is given by

$$q_{r,\lambda}(w) = (2\pi\lambda)^{-r/2} \exp\left(-\frac{|w|^2}{2\lambda}\right), \qquad w \in \mathbb{R}^r$$

Accordingly, writing p_N for the density of P_N with respect to the mN-variate Lebesgue measure,

$$\mathbf{D}(P_N \| Q_{mN,\lambda}) = \int_{\mathbb{R}^{mN}} p_N(w) \ln \frac{p_N(w)}{q_{mN,\lambda}(w)} \mathrm{d}w$$

is the relative entropy, or Kullback-Leibler informational divergence, of P_N with respect to $Q_{mN,\lambda}$.

For a given anisotropy level $a \ge 0$, the *a*-anisotropic norm of a linear discrete time invariant system $F \in \mathcal{H}^{p \times m}_{\infty}$ is defined by

$$|\!|\!|F|\!|\!|_a = \sup_{G \in \mathcal{H}_2^{m \times m}: \ \overline{A}(G) \le a} \frac{|\!|FG|\!|_2}{|\!|G|\!|_2}.$$
 (3)

The quantity $|||F|||_a$ is nondecreasing and concave in $a \ge 0$, with

$$\frac{\|F\|_2}{\sqrt{m}} = \|\|F\|\|_0 \le \lim_{a \to +\infty} \|\|F\|\|_a = \|F\|_\infty,$$

so that the standard \mathcal{H}_2 and \mathcal{H}_∞ -norms are the limiting cases of the anisotropic norm.

A more detailed account on the properties of the mean anisotropy (2) of stationary Gaussian sequences and the anisotropic norm (3) of linear time invariant systems can be found in Diamond et al. [2001], Vladimirov et al. [2005].

3. FEEDBACK IN MEAN ANISOTROPY

Although it is not obvious from (2), the construct of mean anisotropy incorporates feedback as a universal mechanism for creating temporal correlations in a signal via "recycling" its past history. The property originates from the Kolmogorov-Szegö formula for the Shannon entropy production rate in a stationary Gaussian sequence (Ibragimov and Rosanov [1978]).

To this end, a signal W = GV generated by a system $G \in \mathcal{H}_2^{m \times m}$ as described in Sec. 2 is split into a *W*-predictable component $\widehat{W} = (\widehat{w}_k)_{k \in \mathbb{Z}}$ and an innovation $\widetilde{W} = (\widetilde{w}_k)_{k \in \mathbb{Z}}$ as

$$W = \widehat{W} + \widetilde{W}.$$
 (4)

Here,

$$\widehat{w}_k = \mathbf{E}(w_k \mid (w_i)_{i < k})$$

is the one-step predictor of W based on its past history by time k, with $\mathbf{E}(\cdot | \cdot)$ standing for the conditional expectation. Therefore,

$$\widehat{W} = SW, \qquad \widetilde{W} = MV,$$
 (5)

where S is a *strictly causal* system, and $M \in \mathbb{R}^{m \times m}$ is a constant matrix interpreted as a *memoryless* system. From (4) and (5), the generating filter is representable as

$$G = (I_m - S)^{-1}M, (6)$$

so that S specifies the feedback law whereby the past history of W is processed prior to getting "mixed" with the innovation signal MV; see Fig. 1.

Theorem 1. Assuming that $M \in \mathbb{R}^{m \times m}$ is nonsingular, and that S is a strictly causal contraction in the sense



Fig. 1. The prediction-innovation representation of the generating filter.

of the \mathcal{H}_{∞} -norm $||S||_{\infty} < 1$, the mean anisotropy of the generating filter (6) satisfies

$$\overline{A}(G) \leq -\ln \left| \det \left(\frac{\sqrt{m}M}{\|M\|_2} \right) \right| \\ -\frac{m}{2} \ln \left(1 - \|S\|_{\overline{A}(G)}^2 \right).$$
(7)

Proof. At any time k, the predictor \widehat{w}_k and the innovation \widetilde{w}_k are independent zero mean Gaussian random vectors whose covariance matrices, in view of (4), add up to

$$\mathbf{E}(w_k w_k^T) = \mathbf{E}(\widehat{w}_k \widehat{w}_k^T) + \mathbf{E}(\widetilde{w}_k \widetilde{w}_k^T).$$
(8)

The variances of the signals W = GV and \widehat{W} and the covariance matrix of \widetilde{W} are given by

$$\mathbf{E}(|w_k|^2) = \|G\|_2^2,\tag{9}$$

$$\mathbf{E}(|\widehat{w}_k|^2) = \|SG\|_2^2,\tag{10}$$

$$\mathbf{E}(\widetilde{w}_k \widetilde{w}_k^T) = M M^T, \tag{11}$$

where we have also used (5). Substituting (9) and (11) into the Kolmogorov-Szegö type representation of the mean anisotropy (Vladimirov et al. [1996], Diamond et al. [2001]) yields

$$\overline{A}(G) = -\frac{1}{2} \ln \det \left(\frac{mMM^T}{\|G\|_2^2} \right).$$
(12)

Now, taking the trace of the covariance matrices on both sides of (8) and using (9)-(11) gives

$$\begin{split} \|G\|_2^2 &= \|SG\|_2^2 + \|M\|_2^2 \\ &\leq \left(\|S\|_{\overline{A}(G)}\|G\|_2\right)^2 + \|M\|_2^2 \end{split}$$

Here, the inequality is obtained by applying the definition (3) to S and implies the upper bound

$$\|G\|_{2}^{2} \leq \frac{\|M\|_{2}^{2}}{1 - \|S\|_{\overline{A}(G)}^{2}},\tag{13}$$

where the positiveness of the denominator is ensured by the assumption $||S||_{\infty} < 1$ and by the property that the anisotropic norm is always majorized by the \mathcal{H}_{∞} -norm. Substitution of (13) into the right hand side of (12) gives (7).

It is worth noting the recursiveness of the inequality (7) in that the upper bound on the mean anisotropy $\overline{A}(G)$ involves the $\overline{A}(G)$ -anisotropic norm of the prediction operator S which is a subsystem of the generating filter G; see Fig. 1. The inequality can be weakened by replacing the anisotropic norm with $||S||_{\infty}$.

If the feedback is "weak", $||S||_{\infty} \ll 1$, so that the temporal correlations in the signal W = GV are insignificant, then

its mean anisotropy is due basically to the relative gap between the extreme singular values of the matrix M.

3.1 State-space representation

As an example of an explicit representation for the aforementioned prediction operator S, let the generating filter G, which produces W = GV, have an *n*-dimensional state $X = (x_k)_{k \in \mathbb{Z}}$, and let the signals X and W be governed by

$$x_{k+1} = Ax_k + Bv_k, \tag{14}$$

$$w_k = Cx_k + Dv_k. \tag{15}$$

Here, $A \in \mathbb{R}^{n \times n}$, $B \in \mathbb{R}^{n \times m}$, $C \in \mathbb{R}^{m \times n}$ and $D \in \mathbb{R}^{m \times m}$ are constant matrices, with A assumed asymptotically stable, so that its spectral radius satisfies $\rho(A) < 1$. The state-space representation (14)–(15) is written as

$$G = \left[\frac{A \mid B}{C \mid D}\right]. \tag{16}$$

Theorem 2. Let the matrix D in (15) be nonsingular, and let both matrices A and $A - BD^{-1}C$ be asymptotically stable. Then the generating filter (16) is representable in the prediction-innovation form (6) where the memoryless part is given by

$$M = D, (17)$$

and the prediction operator ${\cal S}$ is described by the statespace realization

$$S = \left[\frac{A - BD^{-1}C | BD^{-1}}{C | 0} \right].$$
 (18)

The mean anisotropy of the generating filter can be computed as

$$\overline{A}(G) = -\frac{1}{2} \ln \det \left(\frac{mDD^T}{\operatorname{Tr}(CPC^T + DD^T)} \right), \qquad (19)$$

where ${\cal P}$ is the controllability gramian of (16) satisfying the matrix algebraic Lyapunov equation

$$P = APA^T + BB^T. (20)$$

Proof. By (14), the operator $V \mapsto X$ is strictly causal and, therefore, the state signal X is V-predictable. The nonsingularity of D and asymptotic stability of $A - BD^{-1}C$ imply that the filter G is invertible, with its inverse described by

$$G^{-1} = \begin{bmatrix} A - BD^{-1}C & BD^{-1} \\ -D^{-1}C & D^{-1} \end{bmatrix}.$$

The last state-space realization is obtained by expressing v_k in terms of x_k and w_k from (15),

$$v_k = -D^{-1}Cx_k + D^{-1}w_k,$$

and then by substituting the equation for v_k into (14) and regrouping the terms,

$$x_{k+1} = Ax_k + B(-D^{-1}Cx_k + D^{-1}w_k)$$

= $(A - BD^{-1}C)x_k + BD^{-1}w_k,$ (21)

which also shows that G^{-1} and G share the state X. Hence, the latter is not only V-predictable but is also Wpredictable. Combining (15) with (21), one verifies that the prediction-innovation decomposition of the signal Win (4) holds with

$$\widehat{W} = CX = SW, \qquad \widetilde{W} = DV,$$

where S is a strictly causal system whose state-space realization is described by (18). To establish (19), it now remains to use the Kolmogorov-Szegö type representation (12) together with (17), and to recall the relation

$$||G||_2^2 = \mathbf{E}(|\widehat{w}_k|^2 + |\widetilde{w}_k|^2)$$

= Tr(CPC^T + DD^T)

which employs the property that the controllability gramian P of the generating filter (16) is the covariance matrix of the state signal, $P = \mathbf{E}(x_k x_k^T)$.

An alternative state-space representation of the mean anisotropy can be found in (Diamond et al. [2001], Theorem 1 on p. 31) which does not require the asymptotic stability of $A - BD^{-1}C$ but, in addition to (20), employs the stabilizing solution of a matrix algebraic Riccati equation.

4. MEAN ANISOTROPY IN FILTER CONNECTIONS

We will now discuss the results on the changes in the mean anisotropy of signals propagating through several types of filter connections.

4.1 Serial connection

Let $W = G_N \times \ldots \times G_1 V$ be generated from the white noise V by N serially connected filters as shown in Fig. 2.

$$W \leftarrow G_N \leftarrow \cdots \leftarrow G_l \leftarrow V$$

Fig. 2. The serial connection of filters.

Lemma 3. For the serial connection of generating filters $G_1 \in \mathcal{H}_2^{m \times m}$ and $G_2, \ldots, G_N \in \mathcal{H}_{\infty}^{m \times m}$, its mean anisotropy satisfies

$$A(G_N \times \ldots \times G_1) \le a_N,$$

where the nonnegative reals a_1, \ldots, a_N are computed by the recurrence equation

$$a_{k} = \overline{A}(G_{k}) + a_{k-1} + m \ln \frac{\|G_{k}\|_{a_{k-1}}}{\|G_{k}\|_{0}}$$
(22)

with initial condition $a_0 = 0$.

G

Proof of Lemma 3 can be found in (Diamond et al. [2001]) and employs an "anisotropy leverage" identity

$$\overline{A}(FG) = \overline{A}(F) + \overline{A}(G) + m \ln \frac{\sqrt{m} \|FG\|_2}{\|F\|_2 \|G\|_2}$$
(23)

which follows from (2) and holds for any systems $F, G \in \mathcal{H}_2^{m \times m}$ satisfying $FG \in \mathcal{H}_2^{m \times m}$. Hence, in application to a system $F \in \mathcal{H}_{\infty}^{m \times m}$, combining the identity (23) with (3) gives

$$\sup_{\substack{\in \mathcal{H}_2^{m \times m}: \ \overline{A}(G) \le a}} \overline{A}(FG) = \overline{A}(F) + a + m \ln \frac{\|F\|_a}{\|F\|_0},$$

which holds for any $a \ge 0$ and underlies the recurrence (22); see also (Diamond et al. [2001], Theorem 2 on p. 32).

Following (Vladimirov et al. [2005], Lemma 3 on p. 13), in order to formulate another corollary of (23), we define the condition number of an invertible filter $G \in \mathcal{H}_2^{m \times m}$ by

$$\operatorname{cond}(G) = \frac{\|G\|_2 \|G^{-1}\|_2}{m}$$

The latter satisfies $\operatorname{cond}(G) \geq 1$, with the inequality turning to equality iff G is an all-pass system up to a nonzero constant scalar multiplier.

Lemma 4. For an invertible filter $G \in \mathcal{H}_2^{m \times m}$ and its inverse G^{-1} , their mean anisotropies satisfy

$$\overline{A}(G) + \overline{A}(G^{-1}) = m \ln \operatorname{cond}(G).$$
(24)

Proof. Applying the identity (23) to $F = G^{-1}$, we have

$$0 = \overline{A}(I_m) = \overline{A}(G^{-1}) + \overline{A}(G) + m \ln \frac{\sqrt{m} ||I_m||_2}{||G^{-1}||_2 ||G||_2},$$

whence (24) follows immediately in view of the relation $||I_m||_2 = \sqrt{m}$.

Since the mean anisotropies $\overline{A}(G)$ and $\overline{A}(G^{-1})$ are both nonnegative, $m \ln \operatorname{cond}(G)$ is an upper bound for each of them.

4.2 Summation of independent signals

Let $W = \sum_{s=1}^{N} W_s$ be obtained by summation of N signals $W_s = G_s V_s$ generated from mutually independent white noises V_1, \ldots, V_N by filters $G_1, \ldots, G_N \in \mathcal{H}_2^{m \times m}$; see Fig. 3. Such W can be equivalently modeled as W = GV,



Fig. 3. The summation of signals.

where the "effective" generating filter $G \in \mathcal{H}_2^{m \times m}$ satisfies the factorization

$$\widehat{G}\widehat{G}^* = \sum_{s=1}^{N} \widehat{G}_s \widehat{G}_s^*.$$
(25)

The latter implies that $||G||_2^2 = \sum_{s=1}^N ||G_s||_2^2$, and hence, the ratio

$$R_s = \left(\frac{\|G_s\|_2}{\|G\|_2}\right)^2 \tag{26}$$

quantifies the relative power contribution of W_s to the resulting signal W.

Lemma 5. The mean anisotropy of the signal W = GV generated by a filter $G \in \mathcal{H}_2^{m \times m}$ satisfying (25) affords the upper bound

$$\overline{A}(G) \le \min\left(\sum_{s=1}^{N} R_s \overline{A}(G_s), \\ \min_{1 \le s \le N} \left(\overline{A}(G_s) - \frac{m}{2} \ln R_s\right)\right). \quad (27)$$

Proof of Lemma 5 can also be found in (Diamond et al. [2001], pp. 33–34) and employs the concavity and monotonicity of $\ln \det(\cdot)$ on the cone of positive definite Hermitian matrices. The right hand side of (27) describes

two upper bounds for $\overline{A}(G)$ which complement each other due to an interplay between the relative power contributions R_s in (26) and the "partial" mean anisotropies $\overline{A}(G_s)$.

4.3 Multiplex connection

Consider the multiplex connection of N filters $G_s \in \mathcal{H}_2^{m_s \times m_s}$ in Fig. 4, where V_1, \ldots, V_N are mutually independent white noises which can be combined into one white noise V of dimension $m = m_1 + \ldots + m_N$. The resultant



Fig. 4. The multiplex connection of filters.

generating filter $G = G_1 \otimes \ldots \otimes G_N \in \mathcal{H}_2^{m \times m}$ which produces W = GV has a block diagonal matrix transfer function

$$G = \begin{bmatrix} G_1 & 0 \\ & \ddots \\ 0 & G_N \end{bmatrix}$$

The latter implies that det $G = \prod_{s=1}^{N} \det G_s$ and, similarly to the summation of independent signals in Sec. 4.2, $\|G\|_2^2 = \sum_{s=1}^{N} \|G_s\|_2^2$. Substitution of these expressions into (2) gives

$$\overline{A}(G) = \sum_{s=1}^{N} \left(\overline{A}(G_s) - m_s \ln \frac{\|G_s\|_0}{\|G\|_0} \right).$$

4.4 Feedback connection

Let W = GV be produced from the white noise V by the generating filter

$$G = (I_m - G_0 \Delta)^{-1} G_0$$
 (28)

which is obtained from a "nominal" filter $G_0 \in \mathcal{H}_{\infty}^{m \times m}$ by a strictly causal feedback perturbation $\Delta \in \mathcal{H}_{\infty}^{m \times m}$ interpreted as an uncertainty in the noise model; see Fig. 5. By the Small Gain Theorem, the linear fractional



Fig. 5. Feedback perturbation of the nominal filter.

transformation on the right hand side of (28) is well-defined if

$$\|G_0\|_{\infty} \|\Delta\|_{\infty} < 1. \tag{29}$$

Assuming that G_0 is given in the prediction-innovation form (6), that is,

$$G_0 = (I_m - S)^{-1}M,$$

the appropriate representation for the perturbed generating filter (28) is obtained by an additive modification of the prediction operator S, so that

$$G = (I_m - T)^{-1}M,$$

where

$$T = S + M\Delta.$$

If the nominal filter G_0 is known and invertible, then $W = G_0 U$, with all the noise model uncertainty due to the perturbation Δ incorporated in the signal U = FV. The latter is produced from the white noise V by the generating filter

$$F = G_0^{-1}G = (I_m - \Delta G_0)^{-1} \tag{30}$$

whose well-posedness too is ensured by (29). Since ΔG_0 inherits the strict causality from Δ and is contractive, application of Theorem 1 with $S = \Delta G_0$ and $M = I_m$ to the system (30) yields

$$\overline{A}(F) \leq -\frac{m}{2} \ln \left(1 - \|\Delta G_0\|_{\overline{A}(F)}^2 \right)$$
$$\leq -\frac{m}{2} \ln \left(1 - \|\Delta G_0\|_{\infty}^2 \right)$$
$$\leq -\frac{m}{2} \ln \left(1 - \|G_0\|_{\infty}^2 \|\Delta\|_{\infty}^2 \right)$$

where use has also been made of the submultiplicative property of the \mathcal{H}_{∞} -norm.

ACKNOWLEDGEMENT

The authors thank Dr E.A.Maksimov for helpful discussions.

REFERENCES

- A.V.Semyonov, I.G.Vladimirov, and A.P.Kurdjukov. Stochastic approach to \mathcal{H}_{∞} -optimization. *Proc. of the* 33rd Conference on Decision and Control, Florida, USA, December 14–16, volume 3, pages 2249–2250, 1994.
- I.G.Vladimirov, A.P.Kurdjukov, and A.V.Semyonov. Anisotropy of signals and entropy of linear time invariant systems. *Doklady Akademii Nauk*, volume 342, no. 3, pages 583–585, 1995. (in Russian).
- I.G.Vladimirov, A.P.Kurdjukov, and A.V.Semyonov. On computing the anisotropic norm of linear discrete-timeinvariant systems. *Proc. of the 13th IFAC World Congress*, San-Francisco, California, USA, June 30–July 5, volume G, pages 179–184, Paper IFAC-2d-01.6, 1996.
- I.G.Vladimirov, P.Diamond, and P.Kloeden. Anisotropybased robust performance analysis of finite horizon linear discrete time varying systems. *Automation and Remote Control*, no. 8, pages 1265–1282, 2006.
- I.R.Petersen, M.R.James and P.Dupuis. Minimax optimal control of stochastic uncertain systems with relative entropy constraints. *IEEE Trans. Automat. Contr.*,, vol. 45, no. 3, pages 398–412, 2000.
- I.R.Petersen. Minimax LQG control. Int. J. Appl. Math. Comput. Sci., vol. 16, no. 3, pages 309–323, 2006.
- I.A.Ibragimov, and Y.A.Rozanov. Gaussian Random Processes. Springer-Verlag, New York, 1978.

- P.Diamond, I.G.Vladimirov, A.P.Kurdyukov, and A.V.Semyonov. Anisotropy-based performance analysis of linear discrete time invariant control systems. *Int. J. Control*, volume 74, no. 1, pages 28–42, 2001.
- I.G.Vladimirov, A.P.Kurdyukov, E.A.Maximov, and V.N.Timin. Anisotropy-based control theory — a new approach to stochastic robust control. *Plenary* addresses of IV conference "System Identification and Control Problems", Moscow, Russia, January 25-28, pages 9–32, 2005.